

Specification Sheet

Part Number: 151-04619

Retention arms hold wires along routing path, allowing adjustments and eliminating the need for a cable tie.

Built-in CutZone safety feature prevents damage to wires and cables.



Unique EZ Feed slot maintains clear space to insert cable ties.

Acrylic adhesive provides superior strength and longevity.

Cradle Mount With Adhesive, 0.43" Cradle Area w/ Retention Arms, PA66HS, Black, 100/pkg

Article Number 151-04619

Type CTCM11CZA-AE

Color Black (BK)

Quantity Per bag

Product Description

This cradle mount with acrylic adhesive is fast and easy to apply to any flat surface and is ideal for routing wires in industrial applications where rework and adjustments are common. Mount features a 0.43" cradle opening enhanced with retention arms, providing temporary cable management for simple adjustments and cable additions, or final cable attachment with near-zero chance of disengagement. Cradle also protects against abrasion and cable damage. To permanently mount the bundle, the EZ Feed cable tie slot eliminates common obstructions for faster completion. During rework, the CutZone prevents wire damage when cutting off cable ties.

Short Description	Cradle Mount With Adhesive, 0.43" Cradle Area w/ Retention Arms, PA66HS, Black, 100/pkg
Global Part Name	CTCM11CZA-AE-PA66HS-BK
Length L (Imperial)	1.23
Length L (Metric)	31.2
Fixation Method	Screw Mounting and Adhesive
Width W (Imperial)	0.93
Width W (Metric)	23.73
Height H (Imperial)	0.79
Height H (Metric)	20.1
Material	Polyamide 6.6 heat stabilized (PA66HS)
Material Shortcut	PA66HS
Adhesive	High Bond Acrylic
Flammability	UL 94 V-2 (excluding adhesive)
Halogen Free	No

UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
Adhesive Operating Temperature	-31°F to +158°F (-35 °C to +70 °C)
Operating Temperature	-40°F to +257°F (-40°C to +125°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	100
Package Quantity (Metric)	100
Customs Number	3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.
[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)